

# BullSequana X1000

Brochure



Live innovation  
to the fullest



# Atos

# Why do we need the exascale?

High Performance Computing, or HPC, has gradually become a part of our daily lives, even if we are not always aware of it. It is in our medicines, our investments, our cellphones, in the films we go to see at the cinema, the equipment of our favorite athletes, the cars we drive and the petrol that they run on. It has a direct impact on our quality of life, making our world a safer place, with ever more accurate and precise weather, climate and seismic forecasts, and, thanks to researchers, a world we can more easily understand.

## A never-ending need for more compute capacity

All sectors, in industry and in the academic and scientific community, demand ever more powerful computing systems, involving ever growing volumes of data.

Generating finer-grained weather forecasts, designing cleaner aircraft engines, leveraging genomics to implement personalized medicine... all of these innovations require more computing power than currently available, and will advance considerably thanks to exascale systems.



## Leveraging genomics for better diagnosis and treatment

Genome sequencing and analysis are complex tasks that demand powerful analytics platforms. The compute time needed for sequencing has been reduced considerably in recent years, making it possible to drastically increase the amount of genomic data collected on large study populations.

This opens the way to a new genomic-based healthcare service, leveraging in-depth and comprehensive genomic analyses for a predictive and personalized medicine. The challenge is to achieve:

- Better and predictive diagnosis
- More efficient treatments
- Customized dosing

To implement such a promising project, sequence analysis must be available on an industrial scale, and complex analytics must be supported. This requires computational power on an unprecedented scale.



## Designing more environment-friendly engines

The aeronautical industry is relying on simulation to reduce the quantity of pollutants emitted by aircraft engines, the noise they make, and the quantity of fuel they consume.

Aircraft designers must tackle the following challenges:

- Reduce CO2 emission by 50% in 2020, and by 75% in 2050
- Reduce fuel consumption by 15%
- Reduce noise

To achieve this ambitious goal, finer and more complex models are required, in particular to simulate combustion chamber performance with more precision.

Aircraft engineers reckon that they will need their high performance computing resources increased by 70% to 100% each year to reach their objective.

## It's time to shift to ...





## Re-inventing agriculture to meet 21st century demand

With global populations rising rapidly, worldwide agriculture faces the challenge of producing enough food to meet increasing demand in conditions of changing climate and scarce natural resources. A new agricultural revolution based on a strong scientific foundation is needed to tackle the challenge of increasing production while also meeting environmental, economic, and social goals:

- Feed a world population that will reach 8.5 billion by 2030 and 9 billion by 2050
- Reduce of the use of pesticide by 30%
- Take into account climate change, ground quality alteration and plant behavior

The solution: the development of precision agriculture; leveraging the large variety of data obtained by sensors to build models with fine ground mesh, and leading to better use of fertilizers and agricultural inputs.

This requires massive computing resources and Big Data resources.



## Imagining smart cities for high-quality urban services

“Without a serious shift in urban thinking, the consequences of escalating climate change, pollution and resource depletion pose an ever more serious threat to the resilience of cities right around the world.”  
Jon Lovell, Deloitte

Cities are faced with the following challenges:

- Enhance quality and performance of urban services
- Reduce costs and resource consumption

Smart city projects can address issues such as:

- Data-driven real-estate valuation
- Parking analysis for urban planning (capacity planning, variable pricing...)
- Monitoring of the motion of citizens around city
- Monitoring of disease spread
- City-level traffic management.

Smart city projects leverage emerging developments in Internet of Things and Big Data. They gather large-scale data and transform this data into knowledge that helps address real-world challenges in an urban context.



## Relying on fine-grain weather forecasts to anticipate severe phenomena

Without supercomputers, weather forecasting as we know it today would not be possible. And as the computing power available to meteorological agencies increases, weather forecasts improve in many ways.

Between 1992, when Météo-France invested in their first supercomputer, and today, the compute capacity increased by a factor of 500.000 – and Météo-France expects to keep the same trend in the future.

Weather forecasting agencies worldwide need to:


- Issue forecasts every hour
- Use a finer mesh size for finer and more reliable predictions
- Enable the prediction, exact location and time of severe weather phenomena.

These objectives require increased model resolution and the incorporation of a greater quantity of data and observations in the forecasting process. This means more computing resources and the capacity to handle massive data efficiently.

# ... a new computing scale

# Discover BullSequana X1000

The new generation of supercomputers designed to capture, store, compute, analyze and visualize very massive data sets at a completely unprecedented speed.



# The open exascale-class supercomputer

With the BullSequana X1000 range of supercomputers, Atos confirms its strategic commitment to the development of innovative high performance computing systems – the systems needed to meet the major challenges of the 21st century.

Designed by Atos R&D in close cooperation with major customers, BullSequana X1000 supercomputer leverages the latest technological advances, so as to guarantee maximum performance for a minimized operation cost.

The race to exascale calls for technological breakthroughs. With BullSequana, Atos delivers an innovative solution that matches the exascale technological challenges. The Atos R&D designed BullSequana around the following guidelines

- Open and multi-technology
- Ultra dense and scalable
- Ultra-energy efficient
- Easy administration

## Open for future technologies

BullSequana X1000 is designed to be able to integrate the most advanced technologies in terms of processors, interconnect networks and data storage – both current technologies and future technologies that will make it possible to reach the exaflops level. The BullSequana supercomputers have an open architecture and are based on industry standards, for both hardware and software. They propose customers a large choice of technologies and will be compatible with successive generations of future processor technologies (CPUs, accelerators, low-power processors...) and different interconnect technologies (BXI, InfiniBand...), thus offering maximum investment protection.

## Limit energy consumption

Controlling energy consumption is the main roadblock on the path to exascale. Sequana is ultra energy-efficient: it targets a PUE very close to 1. Its energy consumption is 10 times lower compared to the previous generation of supercomputers

100% of the components of BullSequana – both compute nodes and switches – are cooled using an enhanced version of the Bull Direct Liquid Cooling (DLC) solution. DLC is a proven cooling technology that minimizes the global energy consumption of a system by using warm water up to 40°C.

Sequana X1000 is also an energy-aware system that integrates fine-grain energy sensors and a new generation of the High Definition Energy Efficiency Monitoring implemented in previous Bull systems to facilitate optimization.

## Handle the data deluge

Exascale is not just about exaflops, it also involves dealing with exabytes of data. How data are organized, moved, stored and accessed can have a considerable impact on performance, especially as the volume of data is increasing exponentially.

Sequana X1000 features a hardware and software architecture designed to tackle the most complex data processing, and based on Atos R&D in distributed systems management and data access

## Accelerate application performance

Exascale application performance requires massive parallelism. Sequana X1000 features the Bull Exascale Interconnect (BXI) developed specifically for exascale. BXI introduces a revolution in data movement processing with a hardware acceleration technology that frees up processors from all communication tasks.

Moreover, the software environment provided with BullSequana allows for fine-grain management of resources at scale, and offers optimal efficiency in a production environment.

## Deliver a resilient platform

The frequency of failures increases with the number of components, so that in an exascale-class supercomputer, the sheer number of components – tens of thousands – is a risk in itself, unless the system incorporates high quality resilience.

The architecture and packaging of BullSequana were designed with resilience in mind:

- Redundancy of critical components and switch-over capabilities to make of BullSequana a self-healing system
- Efficient software suite and management tools, providing hierarchical management, and including an embedded and redundant management server
- Resilient interconnect with adaptive routing and reliability features
- Automatic configuration, with node recognition.

# Focus on BullSequana innovation

## The BullSequana cell

In BullSequana X1000 the computing resources are grouped into cells. Each cell tightly integrates compute nodes, interconnect switches, redundant power supply units, redundant liquid cooling heat exchangers, distributed management and diskless support.

## Large building blocks to facilitate scaling

This packaging consisting of large building blocks facilitates high-scale deployment - up to tens of thousands of nodes, by optimizing density, scalability and cost-effectiveness.

Each BullSequana cell is organized across three cabinets: two cabinets contain the compute nodes and the central cabinet houses the interconnect switches.

## Compute cabinet

Each compute cabinet houses 48 horizontal compute blades, with the associated liquid cooled power modules at the top of the cabinet and the redundant hydraulic modules for cooling at the bottom of the cabinet.

24 blades are mounted on the front side of the cabinet, while the 24 other blades are mounted on the rear side.


Each cell can therefore contain up to 96 compute blades, i.e. 288 compute nodes, equipped either with conventional processors (such as Intel® Xeon® processors) or accelerators (e.g. Intel® Xeon Phi™ or NVIDIA® GPUs).

In each 1U blade, a cold plate with active liquid flow cools all hot components by direct contact - the BullSequana compute blades contain no fan.

**The following compute blades are available:**

### BullSequana X1120 blades

The 1U BullSequana X1120 blade integrates 3 compute nodes, each powered by 2 Intel® Xeon® processors (code named Skylake SP).




### BullSequana X1125 blade

The 1U BullSequana X1125 blade is a single compute node with 4 Nvidia® Tesla Pascal P100 GPUs, hosted by 2 Intel® Xeon® processors (code named Skylake SP).

### BullSequana X1210 blade

The 1U BullSequana X1210 blade is



composed of 3 compute nodes each powered by an Intel® Xeon Phi™ x200 processor (code named Knights Landing).

### BullSequana X1310 blade

The 1U BullSequana X1310 blade is composed of 3 compute nodes each powered by 2 Cavium® ThunderX2® ARM processors.

## Switch cabinet

The interconnect components located in the central cabinet form the first two levels of a fat-tree interconnect network. External nodes (such as I/O nodes and service nodes) plug directly into the system fabric at the cell level.


**The switch cabinet contains:**

- the level 1 Direct Liquid Cooled switches - BXI or Infiniband EDR;
- the level 2 Direct Liquid Cooled switches - BXI or Infiniband EDR;
- the switch power group;
- two optional Ultra Capacity Modules that compensate power outages up to 300 ms;
- the management modules, including the Ethernet switches for management, the Rack Monitoring and Administration (RAMA) module - redundant management server with shared storage

- the backplane octopus, a highly innovative column that provides connections between L1 & L2 switches and compute nodes.

## Bull Exascale Interconnect (BXI)

The core feature of BXI is a full hardware-encoded communication management system, which enables compute processors



to be fully dedicated to computational tasks while communications are independently managed by BXI.

**This interconnect offers:**

- sustained performance under the most demanding workloads;
- revolutionary hardware acceleration;
- designed for massive parallelism - up to 64k nodes, up to 16 million threads;
- designed to support exascale programming models and languages.





## Atos in Extreme Computing

As Europe's only computer manufacturer through its Bull brand, Atos operates in the ultra-high processing power market, to liberate its customers' ambitions. With its Bull Extreme Computing solutions - focused around its BullSequana supercomputers - Atos delivers all the benefits of a leader in HPC technologies to everyone from research centers to the design offices of major multi-nationals, or to innovative SMEs.

Over the years, Bull supercomputers have gained a strong presence in the list of the world's top supercomputers.

With more HPC specialists than any other player in Europe, Atos is recognized for the technological excellence of its Bull systems, its HPC applications expertise and its ability to manage large-scale projects. Atos' Center for Excellence in Parallel Programming supports customers to re-engineer their applications for the exascale.

Across the world, numerous institutions (SURFsara in the Netherlands, GENCI in France, LNCC in Brazil, CSC in Finland, DKRZ in Germany, STFC in the United Kingdom, the Universities of Dresden, Grenoble, Reims Champagne Ardenne and many others) and companies (Météo-France, Dassault-Aviation, Cenaero) have turned to Atos to implement powerful, robust systems that are easy to manage and use, and are designed for round-the-clock operation. Every day, thanks to their Bull systems, their researchers and engineers are pushing back the boundaries of the possible.

---

# About Atos

Atos is a global leader in digital transformation with approximately 100,000 employees in 73 countries and annual revenue of around € 13 billion. The European number one in Big Data, Cybersecurity, High Performance Computing and Digital Workplace, The Group provides Cloud services, Infrastructure & Data Management, Business & Platform solutions, as well as transactional services through Worldline, the European leader in the payment industry. With its cutting-edge technologies, digital expertise and industry knowledge, Atos supports the digital transformation of its clients across various business sectors: Defense, Financial Services, Health, Manufacturing, Media, Energy & Utilities, Public sector, Retail, Telecommunications and Transportation. The Group is the Worldwide Information Technology Partner for the Olympic & Paralympic Games and operates under the brands Atos, Atos Consulting, Atos Worldgrid, Bull, Canopy, Unify and Worldline. Atos SE (Societas Europaea) is listed on the CAC40 Paris stock index.

Bull is the Atos brand for its technology products and software, which are today distributed in over 50 countries worldwide

Find out more about us

**atos.net**

**ascent.atos.net**

Let's start a discussion together



All trademarks are the property of their respective owners. Atos, the Atos logo, Atos Codex, Atos Consulting, Atos Worldgrid, Bull, Canopy, equensWorldline, Unify, Worldline and Zero Email are registered trademarks of the Atos group. Atos reserves the right to modify this document at any time without notice. Some offerings or parts of offerings described in this document may not be available locally. Please contact your local Atos office for information regarding the offerings available in your country. This document does not represent a contractual commitment. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Xeon, Xeon Inside are trademarks of Intel Corporation in the U.S. and/or other countries. June 2018 © 2018 Atos